INDEX TO VOLUME 43

January - December 1993

Subject Index

Acetaldehyde
Ambient levels of formaldehyde and acetaldehyde in Atlanta, Georgia, 469
Acid Rain
The utility industry response to Title IV: Generation mix, fuel choice, emissions and costs, 180
Acidity
On the spatial and temporal variability of aerosol acidity and sulfate concentration, 489
Aerosols
On the spatial and temporal variability of aerosol acidity and sulfate concentration, 489
Arsenic speciation in atmospheric aerosols at The Geysers, 765
Organic compounds in cloud water and their deposition at a remote continental site, 1239
Aerosol filtration by sorbent beds, 1367
Air & Waste Management Association
Summary of the 1992 EPA/A&WMA international symposium: Measurement of toxic and related air pollutants, 191
Air Pollution Control
Air pollution control and waste management in a new world, 293
On the spatial and temporal variability of aerosol acidity and sulfate concentration, 489
An integrated theory for suspended-growth bioscrubbers, 753
Influence of landscape variability on atmospheric dispersion, 989
Chemical dynamics of clouds at Mt. Mitchell, North Carolina, 1074
Net waste reduction analysis applied to air pollution control technologies, 1449
A NO_x-focused control strategy to reduce O_3, 1593
Air Quality
An assessment of air quality impacts of fires associated with fire fighting operations, 341
Air Quality Analysis
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585
Air Quality Standards
A Monte-Carlo simulation of the ozone attainment process, 995
Air Toxics
Risk and technology in air toxics control: California and the Clean Air Act Amendments, 723
Alternative Fuels
Formaldehyde exposure affects growth and metabolism of common bean, 113
Ambient Air
Ambient levels of formaldehyde and acetaldehyde in Atlanta, Georgia, 469
A method of predicting point and path-averaged ambient air VOC concentrations, using meteorological data, 480
Ammonia Injection Technology
Development of the ammonia injection technol ogy (AIT) for the control of PCDD/PCDF and acid gases from municipal solid waste incinerators, 889
Ash Whitefly
Air particulates associated with the ash whitefly, 1116
Atmospheric Chemistry
Formation of trifluoroacetic acid from the atmospheric degradation of hydrofluorocarbon 134a: A human health concern?, 1260
Attainment
A Monte-Carlo simulation of the ozone attainment process, 995
Changes in diurnal patterns related to changes in ozone levels, 1472
Automated Gas Chromatography
Comparison of nonmethane organic compound concentration data collected by two methods in Atlanta, 1576
Baghouses
The potential of pulse-jet baghouses for utility boilers. Part III: Comparative economics of pulse-jet baghouse, precipitators and reverse-gas baghouses, 120
Bioscrubber
An integrated theory for suspended-growth bioscrubbers, 753
California
Update on ozone trends in California's south coast air basin, 226
Arsenic speciation in atmospheric aerosols at The Geysers, 765
Air particulates associated with the ash whitefly, 1116
"Passing the test" - Human behavior and California's smog check program, 1567
Canada
Hazardous waste facility siting in Manitoba. Case study of success, 963
Carbon Adsorption
A qualitative analysis of the effects of water vapor on multi-component vapor-phase carbon adsorption, 864
Carbon Dioxide
European community studies feasibility of reducing CO_2 emissions by sixty percent, 835
Carbon Monoxide
Pollutant emission rates from a radiant fiber-matrix gas burner, 223
Carbon monoxide and nitrogen dioxide levels in an indoor ice skating rink with mitigation methods, 769
Carpeting
Emissions of volatile organic compounds from new carpets measured in a large-scale environmental chamber, 316
Chemical Transformations
Transformations, lifetimes, and sources of NO_2, HONO, and HNO_3 in indoor environments, 1479
Chlorofluorocarbons
An estimate of the recoverable chlorofluorocarbons available to offset future carbon dioxide emissions, 336
A thermal desorption procedure for determining residual blowing agent (CFC-11) in rigid foam, 1101
Formation of trifluoroacetic acid from the at mospheric degradation of hydrofluorocarbon 134a: A human health concern?,1260
Clean Air Act Amendments
Air pollution control and waste management in a new world, 293
Risk and technology in air toxics control: California and the Clean Air Act Amendments, 723
Phase II allowances allocations and an assessment of the allowance market in the west, 839
A qualitative analysis of the effects of water vapor on multi-component vapor-phase carbon adsorption, 864
A thermal desorption procedure for determining residual blowing agent (CFC-11) in rigid foam, 1101
Providing assistance to small businesses impacted by the 1990 Clean Air Act Amendments, 1213
A NO_x-focused control strategy to reduce O_3, 1593
Clean Air Act Amendments - Title IV
The utility industry response to TitleIV: Generation mix, fuel choice, emissions and costs, 180
Climate Change
A critical review: Global climate change and sustainable development, 707
Tropospheric ozone and climate change, 1332
Clouds
Chemical dynamics of clouds at Mt. Mitchell, North Carolina, 1074
Organic compounds in cloud water and their deposition at a remote continental site, 1239
Coal Ash
Quantitative mineral determinations of industrial coal ash, 1245
Coal-Burning Facilities
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. II. Ozone injury on foliage of hybrid poplar, 760
Community Action
Integrated municipal solid waste planning and decision-making in New York City: The citizens' alternative plan, 453
Comparison
Net waste reduction analysis applied to air pollution control technologies, 1449
Comparison of nonmethane organic compound concentration data collected by two methods in Atlanta, 1576
Comprehensive Environmental Response and Liability Act (CERCLA)
Incineration of hazardous waste: A critical review update, 25
Contaminated Soils
Treatment of pesticide-contaminated soils with thermal desorption technologies, 1610
Contamination
The measurement of contamination in environmental samples, 1155
Control Technologies
Corona destruction: An innovative control technology for VOCs and air toxics, 242
SITE program demonstration of the SBP Technologies, Inc. membrane filtration system on creosote-contaminated water, 367
SITE demonstration of slurry-phase biodegradation of PAH contaminated soil, 503
Alternating current electrocoagulation for Superfund site remediation, 784

Development of the ammonia injection technology (AIT) for the control of PCDD/PCDF and acid gases from municipal solid waste incinerators, 889
Elimination of VOC emissions from surface coating operations, 1015
The measurement of contamination in environmental samples, 1155
SITE demonstration of the basic extractive sludge treatment process, 1274
Results of a method verification study for analyses of PCP in soil, 1408

Corona Destruction
Corona destruction: An innovative control technology for VOCs and air toxics, 242

Cost Estimates
Light-duty vehicle exhaust emission control cost estimates using a part-pricing approach, 1461

Costs
A cost-effectiveness study of carbon monoxide emissions reduction utilizing remote sensing, 978

Critical Review
A critical review: Global climate change and sustainable development, 707

Crude Oil
Emissions from the production, storage and transport of crude oil and gasoline, 1486

Deposition
Chemical dynamics of clouds at Mt. Mitchell, North Carolina, 1074

Deterioration
Deterioration of starch-plastic composites in the environment, 325

Development
Balancing economic development with environmental protection in developing and lesser developed countries, 18

Dioxin
Superfund soil cleanup: Developing the piazza road remedial design, 197

Dispersion
Influence of landscape variability on atmospheric dispersion, 989

Distillation
Evaluation of filtration and distillation methods for recycling automotive coolant, 463

Downwind Cavity Region
Building downwash screening modeling for the downwind recirculation cavity, 1122

Dust
Characterization of airborne dust from cast iron foundries of physico-chemical methods and multivariate statistical analyses, 729

Economics
Balancing economic development with environmental protection in developing and lesser developed countries, 18
The potential of pulse-jet baghouses for utility boilers. Part III: Comparative economics of pulse-jet baghouse, precipitators and reverse-gas baghouses, 120
A cost-effectiveness study of carbon monoxide emissions reduction utilizing remote sensing, 978
Light-duty vehicle exhaust emission control cost estimates using a part-pricing approach, 1461

Electric Utilities
The utility industry response to Title IV: Generation mix, fuel choice, emissions and costs, 180
Quantitative mineral determinations of industrial coal ash, 1245

Electrostatic Precipitator
Effects of sorbent injection on particulate properties: Part II. High temperature sorbent injection, 91

Emissions
Pollutant emission rates from a radiant fiber-matrix gas burner, 223
Emissions of SO_2 and NO_x from pulp and paper mills, 1404

Emissions, Automotive
A characterization of emissions from an early model flexible-fuel vehicle, 851
A cost-effectiveness study of carbon monoxide emissions reduction utilizing remote sensing, 978
Real-world vehicle emissions: A summary of the third annual CRC-APRAC on-road vehicle emissions workshop, 1084
Real-world emissions from a modern production vehicle driven in Los Angeles, 1351
Light-duty vehicle exhaust emission control cost estimates using a part-pricing approach, 1461
"Passing the test" - Human Behavior and California's smog check program, 1567

Emission Inventories
Real-world vehicle emissions: A summary of the third annual CRC-APRAC on-road vehicle emissions workshop, 1084

Emissions Reduction
European community studies feasibility of reducing CO_2 emissions by sixty percent, 835
Phase II allowances allocations and an assessment of the allowance market in the west, 839

Emissions,-Hydrocarbon
Atmospheric polycyclic hydrocarbons (PAH) at a point source of emissions. Part B: PAH emissions reduction at a horizontal stud soderberg plant at Jonquiere, Quebec, Canada and the evolution of B[a]P in ambient urban air, 85
Fugitive hydrocarbon emissions from Pacific offshore oil platforms: Models, emission factors and platform emissions, 1455

Emissions, Mercury
An evaluation of possible biases in the U.S. EPA's method 101A-mercury emissions from stationary sources, 117

Emissions, VOC
Estimation of VOC emissions from wastewater facilities by volatilization and stripping, 97

Estimation Techniques
Fugitive hydrocarbon emissions from Pacific offshore oil platforms: Models, emission factors and platform emissions, 1455

European Community
European community studies feasibility of reducing CO_2 emissions by sixty percent, 835

Evaluation
Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking, 203

Exposure Assessments
Validation of personal exposure models for sulfate and aerosol strong acidity, 945

Exxon Valdez
Modeling VOC emissions and air concentrations from the Exxon Valdez oil spill, 298

Facility Siting
Hazardous waste facility siting in Manitoba. Case study of success, 963
Solid waste facility siting: Issues and trends, 1345

Filtration
Evaluation of filtration and distillation methods for recycling automotive coolant, 463
Aerosol filtration by sorbent beds, 1367

Fire Fighting Operations
An assessment of air quality impacts of fires associated with fire fighting operations, 341

Fires, Scrap Tires
Characterization of air pollutants emitted from a simulated scrap tire fire, 1106

Flue Gases
Prediction of flue gas composition of an incinerator based on a nonequilibrium-reaction approach, 745

Fly Ash
Effects of sorbent injection on particulate properties: Part II. High temperature sorbent injection, 91

Forecasts
Air pollution control and waste management in a new world, 293

Forests
Atmospheric chemistry of tropospheric ozone formation: Scientific and regulatory implications, 1091
Organic compounds in cloud water and their deposition at a remote continental site, 1239

Formaldehyde
Formaldehyde exposure affects growth and metabolism of common bean, 113
Ambient levels of formaldehyde and acetaldehyde in Atlanta, Georgia, 469

Foundries
Characterization of airborne dust from cast iron foundries of physico-chemical methods and multivariate statistical analyses, 729

Fuel Oil
Trace-element patterns in fuel oils and gasolines for use in source apportionment, 1381

Fuels, Alternative
A characterization of emissions from an early model flexible-fuel vehicle, 851

Fungal Treatment
Results of a method verification study for analyses of PCP in soil, 1408

Gas Burner
Pollutant emission rates from a radiant fiber-matrix gas burner, 223

Gas Extraction
A thermal desorption procedure for determining residual blowing agent (CFC-11) in rigid foam, 1101

Gasoline
Trace-element patterns in fuel oils and gasolines for use in source apportionment, 1381
Emissions from the production, storage and transport of crude oil and gasoline, 1486

Geysers, The
Arsenic speciation in atmospheric aerosols at The Geysers, 765
Global warming/greenhouse effect tropospheric ozone and climate change, 1332

Green Biomass
Green biomass materials in polyurethane foams, 1253

Groundwater
The removal of tri- (TCE) and tetrachloroethylene (PCE) from aqueous solution using high energy electrons, 1358

Hazardous Waste Management
Incineration of hazardous waste: A critical review update, 25
Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking, 203
Hazardous waste facility siting in Manitoba. Case study of success, 963
The effect of treatment temperature on metal

recovery from a porous silica sorbent by EPA Method 3050 and by an HF-based method, 1004

Health Effects
Comparison of chemiluminescence and ultra violet ozone monitor responses in the presence of humidity and photochemical pollutants, 213

History
Overview and implications of U.S. sanitary landfill practice, 187

Home Heating
Organic combustion fingerprints of three common home heating fuels, 859

Hydrocarbons
Ambient levels of the peroxyacyl nitrates PAN, PPN and MPAN in Atlanta, Georgia, 873

Hydrofluorocarbon
Formation of trifluoroacetic acid from the atmospheric degradation of hydrofluorocarbon 134a: A human health concern?, 1260

Impact-Effect Model
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585

Incineration
Incineration of hazardous waste: A critical review update, 25
An evaluation of possible biases in the U.S. EPA's method 101A-mercury emissions from stationary sources, 117
Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking, 203
Prediction of flue gas composition of an incinerator based on a nonequilibrium-reaction approach, 745
Do dead batteries cause cancer?, 880
The effect of treatment temperature on metal recovery from a porous silica sorbent by EPA Method 3050 and by an HF-based method, 1004
A comparison of organic emissions from hazardous waste incinerators versus the 1990 toxics release inventory air releases, 1374

Individual Exposure
Assessment of carcinogenic risk from personal exposure to benzo(a)pyrene in the total human environmental exposure study (THEES), 970

Indoor Air Pollution
Assessment of carcinogenic risk from personal exposure to benzo(a)pyrene in the total human environmental exposure study (THEES), 970
Transformations, lifetimes, and sources of NO_2, HONO, and HNO_3 in indoor environments, 1479

Indoor Ice Skating Rink
Carbon monoxide and nitrogen dioxide levels in an indoor ice skating rink with mitigation methods, 769

Innovative Technologies
An innovative radon mitigation-energy conservation retrofit system for residential buildings, 310

Inspection/Maintenance
"Passing the test" - Human behavior and California's smog check program, 1567

Instrumentation
Comparison of chemiluminescence and ultraviolet ozone monitor responses in the presence of humidity and photochemical pollutants, 213
An automatic particle sampler with beta gauging, 475

Integration Procedures
A new quadrature for determining the mean duct velocity, 1496

International Issues
Distribution of sulfur dioxide in the atmosphere of Jiddah, Saudi Arabia, 208

Landfills
Overview and implications of U.S. sanitary land fill practice, 187

Landscape Variations
Influence of landscape variability on atmospheric dispersion, 989

Lung Cancer
Reducing the risks from radon, 955

Mean Duct Velocity
A new quadrature for determining the mean duct velocity, 1496

Measurement Techniques
PM_{10} standards and nontraditional particulate source controls: A summary of the A&WMA/EPA international specialty conference, 74

Methanol
A characterization of emissions from an early model flexible-fuel vehicle, 851

Mobil Sources
Real-world emissions from a modern production vehicle driven in Los Angeles, 1351
Real-world vehicle emissions: A summary of the third annual CRC-APRAC on-road vehicle emissions workshop, 1084
"Passing the test" - Human Behavior and California's smog check program, 1567

Modeling
Modeling VOC emissions and air concentrations from the Exxon Valdez oil spill, 298
Photochemical model bias: Is it real or is it a statistical artifact?, 348
Prediction of flue gas composition of an incinerator based on a nonequilibrium-reaction approach, 745
Building downwash screening modeling for the downwind recirculation cavity, 1122
Real-world emissions from a modern production vehicle driven in Los Angeles, 1351
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585

Motorcycles
Student's exposure to volatile organic compounds while commuting by motorcycle and bus in Taipei City, 1231

Municipal Solid Waste
Integrated municipal solid waste planning and decision-making in New York City: The citizens' alternative plan, 453

National Ambient Air Quality Standards (NAAQS)
"Passing the test" - Human behavior and California's smog check program, 1567
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585

Nitrogen Oxide
Emissions of SO_2 and NO_x from pulp and paper mills, 1404
A NO_x-focused control strategy to reduce O_3, 1563

Nitrogen Dioxide
Carbon monoxide and nitrogen dioxide levels in an indoor ice skating rink with mitigation methods, 769
Transformations, lifetimes, and sources of NO_2, HONO, and HNO_3 in indoor environments, 1479

Nonattainment
Changes in diurnal patterns related to changes in ozone levels, 1472
A NO_x-focused control strategy to reduce O_3, 1563

Non-Methane Organic Compounds
Comparison of nonmethane organic compound concentration data collected by two methods in Atlanta, 1576

Nontraditional Sources
PM_{10} standards and nontraditional particulate source controls: A summary of the A&WMA/EPA international specialty conference, 74

Northeast Cities
A NO_x-focused control strategy to reduce O_3, 1563

Offshore Oil Platforms
Fugitive hydrocarbon emissions from Pacific offshore oil platforms: Models, emission factors and platform emissions, 1455

Oil Spills
Modeling VOC emissions and air concentrations from the Exxon Valdez oil spill, 298

Ozone
Establishing relevant ozone standards to protect vegetation and human health: Exposure/dose-response considerations, 106
Update on ozone trends in California's south coast air basin, 226
Photochemical model bias: Is it real or is it a statistical artifact?, 348
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. II. Ozone injury on foliage of hybrid poplar, 760
U.S. Environmental Protection Agency's ozone epidemiology research program: A strategy for assessing the effects of ambient ozone exposure upon morbidity in exposed populations, 950
A Monte-Carlo simulation of the ozone attainment process, 995
Changes in diurnal patterns related to changes in ozone levels, 1472
Comparison of nonmethane organic compound concentration data collected by two methods in Atlanta, 1576
A NO_x-focused control strategy to reduce O_3, 1593

Ozone Epidemiology Research Program
U.S. Environmental Protection Agency's ozone epidemiology research program: A strategy for assessing the effects of ambient ozone exposure upon morbidity in exposed populations, 950

Ozone Monitoring
Comparison of chemiluminescence and ultra violet ozone monitor responses in the presence of humidity and photochemical pollutants, 213

Ozone, Tropospheric
Atmospheric chemistry of tropospheric ozone formation: Scientific and regulatory implications, 1091
Tropospheric ozone and climate change, 1332

PAN
Ambient levels of the peroxyacyl nitrates PAN, PPN and MPAN in Atlanta, Georgia, 873
PANs in the atmosphere, 1221

PBzN Precursors
PANs in the atmosphere, 1221
PPN
PANs in the atmosphere, 1221
Paints
Elimination of VOC emissions from surface coating operations, 1015
Particulate Matter
PM_{10} standards and nontraditional particulate source controls: A summary of the A&WMA/EPA international specialty conference, 74
An automatic particle sampler with beta gauging, 475
Characterization of airborne dust from cast iron foundries of physico-chemical methods and multivariate statistical analyses, 729
Air particulates associated with the ash white fly, 1116
Pesticides
Treatment of pesticide-contaminated soils with thermal desorption technologies, 1610
Peroxyacl Nitrates
Ambient levels of the peroxyacyl nitrates PAN, PPN and MPAN in Atlanta, Georgia, 873
Personal Exposure
Validation of personal exposure models for sulfate and aerosol strong acidity, 845
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585
Photochemical Models
Photochemical model bias: Is it real or is it a statistical artifact?, 348
Plant Growth
Formaldehyde exposure affects growth and metabolism of common bean, 113
Plastics
Deterioration of starch-plastic composites in the environment, 325
Pollution Prevention
Net waste reduction analysis applied to air pollution control technologies, 1449
Polycyclic Aromatic Hydrocarbons
Atmospheric polycyclic hydrocarbons (PAH) at a point source of emissions. Part B: PAH emissions reduction at a horizontal stud soderberg plant at Jonquiere, Quebec, Canada and the evolution of B[a]P in ambient urban air, 85
Polyurethane Foams
Waste minimization in the manufacture of flexible polyurethane foams: Quantification of auxiliary blowing agent volatilization, 736
Green biomass materials in polyurethane foams, 1253
Poverty
Balancing economic development with environmental protection in developing and lesser developed countries, 18
Power Plants
Quantitative mineral determinations of industrial coal ash, 1245
Production, Storage, Transport
Emissions from the production, storage and transport of crude oil and gasoline, 1486
Products of Incomplete Combustion (PICs)
Characterization of air pollutants emitted from a simulated scrap tire fire, 1106
Public Health
Establishing relevant ozone standards to protect vegetation and human health: Exposure/doseresponse considerations, 106
Organic combustion fingerprints of three common home heating fuels, 859
Reducing the risks from radon, 955
Assessment of carcinogenic risk from personal exposure to benzo(a)pyrene in the total human environmental exposure study (THEES), 970
Atmospheric chemistry of tropospheric ozone formation: Scientific and regulatory implications, 1091
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585
Quantitative Risk Analysis
Do dead batteries cause cancer?, 880
Quebec
Atmospheric polycyclic hydrocarbons (PAH) at a point source of emissions. Part B: PAH emissions reduction at a horizontal stud soderberg plant at Jonquiere, Quebec, Canada and the evolution of B[a]P in ambient urban air, 85
Radon
An innovative radon mitigation-energy conservation retrofit system for residential buildings, 310
Reducing the risks from radon, 955
Receptor Modeling
Trace-element patterns in fuel oils and gasolines for use in source apportionment, 1381
Recovery and Destruction
An estimate of the recoverable chlorofluorocarbons available to offset future carbon dioxide emissions, 336
Recycling
Evaluation of filtration and distillation methods for recycling automotive coolant, 463
Refrigerators
An estimate of the recoverable chlorofluorocarbons available to offset future carbon dioxide emissions, 336
Remediation
Treatment of pesticide-contaminated soils with thermal desorption technologies, 1610
Residences
An innovative radon mitigation-energy conservation retrofit system for residential buildings, 310
Emissions of volatile organic compounds from new carpets measured in a large-scale environmental chamber, 316
Responses
Response to "The WHITEX study and the role of the scientific community: A critique" by Gregory R. Markowski, 1128
A comment on the WHITEX CD4 tracer data, 1143
Reply to Malm, et al.'s discussion of the WHITEX critique, 1137
Risk Management
Risk and technology in air toxics control: California and the Clean Air Act Amendments, 723
Rotary Dryer
Treatment of nonhazardous petroleum-contaminated soils by thermal desorption technologies, 1512
Sampling
An automatic particle sampler with beta gauging, 475
The measurement of contamination in environmental samples, 1155
Saudi Arabia
Distribution of sulfur dioxide in the atmosphere of Jiddah, Saudi Arabia, 208
Sludge Treatment
SITE demonstration of the basic extractive sludge treatment process, 1274
Small Business Assistance Program (SBAP) Providing assistance to small businesses impacted by the 1990 Clean Air Act Amendments, 1213
Smog Check Program
"Passing the test" - Human behavior and California's smog check program, 1567
Soil Cleanup
Superfund soil cleanup: Developing the piazza road remedial design, 197
Solid Waste
Do dead batteries cause cancer?, 880
Sorbent Beds
Aerosol filtration by sorbent beds, 1367
Sorbent Injection
Effects of sorbent injection on particulate properties: Part II. High temperature sorbent injection, 91
Source Reduction
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585
South Coast Air Basin
Update on ozone trends in California's south coast air basin, 226
Starch-Plastic Composite
Deterioration of starch-plastic composites in the environment, 325
Stationary Sources
An evaluation of possible biases in the U.S. EPA's method 101A-mercury emissions from stationary sources, 117
Providing assistance to small businesses impacted by the 1990 Clean Air Act Amendments, 1213
Sulfate
Validation of personal exposure models for sulfate and aerosol strong acidity, 845
Sulfur Dioxide
Distribution of sulfur dioxide in the atmosphere of Jiddah, Saudi Arabia, 208
Phase II allowances allocations and an assess ment of the allowance market in the west, 839
Emissions of SO_2 and NO_x from pulp and paper mills, 1404
Superfund
Superfund soil cleanup: Developing the piazza road remedial design, 197
Alternating current electrocoagulation for superfund site remediation, 784
The removal of tri- (TCE) and tetrachloroethylene (PCE) from aqueous solution using high energy electrons, 1358
Superfund Innovative Technology Evaluation (SITE)
SITE program demonstration of the SBP Technologies, Inc. membrane filtration system on creosote-contaminated water, 367
SITE demonstration of slurry-phase biodegradation of PAH contaminated soil, 503
Alternating current electrocoagulation for superfund site remediation, 784
SITE demonstration of the basic extractive sludge treatment process, 1274
Sustainable Development
A critical review: Global climate change and sustainable development, 707
TCE/PCE Removal
The removal of tri- (TCE) and tetrachloroethylene (PCE) from aqueous solution using high energy electrons, 1358
Taiwan
Student's exposure to volatile organic com-

pounds while commuting by motorcycle and bus in Taipei City, 1231
Technology Development
Development of the ammonia injection technology (AIT) for the control of PCDD/PCDF and acid gases from municipal solid waste incinerators, 889
Thermal Desorption
Treatment of nonhazardous petroleum-contaminated soils by thermal desorption technologies, 1512
Treatment of pesticide-contaminated soils with thermal desorption technologies, 1610
Thermal Screw
Treatment of nonhazardous petroleum-contaminated soils by thermal desorption technologies, 1512
Tires
Characterization of air pollutants emitted from a simulated scrap tire fire, 1106
Toxic Air Pollutants
Summary of the 1992 EPA/A&WMA international symposium: Measurement of toxic and related air pollutants, 191
A qualitative analysis of the effects of water vapor on multi-component vapor-phase carbon adsorption, 864
Toxics Release Inventory
A comparison of organic emissions from hazardous waste incinerators versus the 1990 toxics release inventory air releases, 1374
Treatability Test
Treatment of pesticide-contaminated soils with thermal desorption technologies, 1610
U.S. Environmental Protection Agency
U.S. Environmental Protection Agency's ozone epidemiology research program: A strategy for assessing the effects of ambient ozone exposure upon morbidity in exposed populations, 950
Summary of the 1992 EPA/A&WMA international symposium: Measurement of toxic and related air pollutants, 191
SITE program demonstration of the SBP Technologies, Inc. membrane filtration system on creosote-contaminated water, 367
Results of a method verification study for analyses of PCP in soil, 1408
Comparison of nonmethane organic compound concentration data collected by two methods in Atlanta, 1576
Urban Areas
Building downwash screening modeling for the downwind recirculation cavity, 1122
A NO_x-focused control strategy to reduce O_3
Utility Boilers
The potential of pulse-jet baghouses for utility boilers. Part III: Comparative economics of pulse-jet baghouse, precipitators and reversegas baghouses, 120
Vegetation
Establishing relevant ozone standards to protect vegetation and human health: Exposure/doseresponse considerations, 106
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. II. Ozone injury on foliage of hybrid poplar, 760
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585
Vehicle Tampering
"Passing the test" - Human behavior and California's smog check program, 1567
Visible Emissions
An assessment of air quality impacts of fires associated with fire fighting operations, 341
Volatile Organic Compounds (VOCs)
Corona destruction: an innovative control technology for VOCs and air toxics, 242
Emissions of volatile organic compounds from new carpets measured in a large-scale environmental chamber, 316
A method of predicting point and path-averaged ambient air VOC concentrations, using meteorological data, 480
An integrated theory for suspended-growth bioscrubbers, 753
Elimination of VOC emissions from surface coating operations, 1015
Student's exposure to volatile organic compounds while commuting by motorcycle and bus in Taipei City, 1231
Comparison of nonmethane organic compound concentration data collected by two methods in Atlanta, 1576
Volatilization
Estimation of VOC emissions from wastewater facilities by volatilization and stripping, 97
WHITEX Study
Response to "The WHITEX study and the role of the scientific community: A critique" by Gregory R. Markowski, 1128
A comment on the WHITEX CD4 tracer data, 1143
Reply to Malm, et al.'s discussion of the WHITEX critique, 1137
Waste Disposal
Overview and implications of U.S. sanitary land fill practice, 187
Waste Management
Integrated municipal solid waste planning and decision-making in New York City: The citizens' alternative plan, 453
Waste minimization in the manufacture of flexible polyurethane foams: Quantification of auxiliary blowing agent volatilization, 736
The effect of treatment temperature on metal recovery from a porous silica sorbent by EPA Method 3050 and by an HF-based method, 1004
A comparison of organic emissions from hazardous waste incinerators versus the 1990 toxics release inventory air releases, 1374
Solid waste facility siting: Issues and trends, 1345
Waste Minimization
Waste minimization in the manufacture of flexible polyurethane foams: Quantification of auxiliary blowing agent volatilization, 736
Solid waste facility siting: Issues and trends, 1345
Wastewater Facilities
Estimation of VOC emissions from wastewater facilities by volatilization and stripping, 97
Wind Direction
A method of predicting point and path-averaged ambient air VOC concentrations, using meteorological data, 480
Wood Burning
Organic combustion fingerprints of three common home heating fuels, 859

Author Index

Allaire, M.
Atmospheric polycyclic hydrocarbons (PAH) at a point source of emissions. Part B: PAH emissions reduction at a horizontal stud soderberg plant at Jonquiere, Quebec, Canada and the evolution of B[a]P in am bient urban air, 85
Altshuler, S.L.
Arsenic speciation in atmospheric aerosols at The Geysers, 765
Altshuller, A.P.
PANs in the atmosphere, 1221
Aneja, V.P.
Chemical dynamics of clouds at Mt. Mitchell, North Carolina, 1074
Organic compounds in cloud water and their deposition at a remote continental site, 1239
Apte, M.G.
Pollutant emission rates from a radiant fiber-matrix gas burner, 223
Baillod, C.R.
Estimation of VOC emissions from wastewater facilities by volatilization and stripping, 97
Ball, J.C.
Formation of trifluoroacetic acid from the at mospheric degradation of hydrofluorocarbon 134a: A human health concern?, 1260
Barber, M.
Atmospheric polycyclic hydrocarbons (PAH) at a point source of emissions. Part B: PAH emissions reduction at a horizontal stud soderberg plant at Jonquiere, Quebec, Canada and the evolution of B[a]P in ambient urban air, 85
Baril, M.
Characterization of airborne dust from cast iron foundries of physico-chemical methods and multivariate statistical analyses, 729
Barkenbus, J.
Solid waste facility siting: Issues and trends, 1345
Barkley, N.P.
Alternating current electrocoagulation for superfund site remediation, 784
Bartelds, H.
European community studies feasibility of reducing CO_2 emissions by sixty percent, 835
Beckman, S.W.
SITE program demonstration of the SBP Technologies, Inc. membrane filtration system on creosote-contaminated water, 367
Behr-Andres, C.B.
Quantitative mineral determinations of industrial coal ash, 1245
Bishop, G.A.
A cost-effectiveness study of carbon monoxide emissions reduction utilizing remote sensing, 978
Breslin, V.T.
Deterioration of starch-plastic composites in the environment, 325
Brown, W.E.
Elimination of VOC emissions from surface coating operations, 1015
Browne, D.
Fugitive hydrocarbon emissions from Pacific offshore oil platforms: Models, emission factors and platform emissions, 1455
Buschow, R.D.
Providing assistance to small businesses impacted by the 1990 Clean Air Act Amendments, 1213
Bush, P.V.
Effects of sorbent injection on particulate properties: Part II. High temperature sorbent injection, 91

Butler, J.P.
Assessment of carcinogenic risk from personal exposure to benzo(a)pyrene in the total human environmental exposure study (THEES), 970
Bytnerowicz, A.
Formaldehyde exposure affects growth and metabolism of common bean, 113
Cadle, S.H.
Real-world vehicle emissions: A summary of the third annual CRC-APRAC on-road vehicle emissions workshop, 1084
Carter, R.E.
A method of predicting point and path-averaged ambient air VOC concentrations, using meteorological data, 480
Castle, G.
Hazardous waste facility siting in Manitoba. Case study of success, 963
Chan, C.C.
Student's exposure to volatile organic compounds while commuting by motorcycle and bus in Taipei City, 1231
Chang, H.-C.
An integrated theory for suspended-growth bioscrubbers, 753
Chang, R.L.
The potential of pulse-jet baghouses for utility boilers. Part III: Comparative economics of pulse-jet baghouse, precipitators and reverse-gas baghouses, 120
Chock, D.P.
A Monte-Carlo simulation of the ozone attainment process, 995
Chow, J.C.
PM_{10} standards and nontraditional particulate source controls: A summary of the A&WMA/EPA international specialty conference, 74
Clarke, M.J.
Integrated municipal solid waste planning and decision-making in New York City: The citizens' alternative plan, 453
Coffin, D.L.
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and lants as a function of air pollutant impact, 1585
Cohen Hubal, E.A.
Net waste reduction analysis applied to air pollution control technologies, 1449
Cooper, W.J.
The removal of tri- (TCE) and tetrachloroethylene (PCE) from aqueous solution using high energy electrons, 1358
Countess, R.J.
Fugitive hydrocarbon emissions from Pacific offshore oil platforms: Models, emission factors and platform emissions, 1455
Coutant, R.W.
Aerosol filtration by sorbent beds, 1367
Crittenden, J.C.
Estimation of VOC emissions from wastewater facilities by volatilization and stripping, 97
Cudahy, J.J.
Treatment of nonhazardous petroleum-contaminated soils by thermal desorption technologies, 1512
Dahlin, R.S.
Effects of sorbent injection on particulate properties: Part II. High temperature sorbent injection, 91
Daisey, J.M.
Emissions of volatile organic compounds from new carpets measured in a large-scale environmental chamber, 316
Davidson, A.
Update on ozone trends in California's south coast air basin, 226
Davis, D.D.
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. II. Ozone injury on foliage of hybrid poplar, 760
Davis, D.W.
Air particulates associated with the ash whitefly, 1116
DeLuchi, M.A.
Emissions from the production, storage and transport of crude oil and gasoline, 1486
Dellinger, B.
Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking, 203
Dempsey, C.R.
Incineration of hazardous waste: A critical review update, 25
A comparison of organic emissions from hazardous waste incinerators versus the 1990 toxics release inventory air releases, 1374
Dicks, L.W.R.
Treatment of pesticide-contaminated soils with thermal desorption technologies, 1610
Drivas, P.J.
Modeling VOC emissions and air concentrations from the Exxon Valdez oil spill, 298
El-Ashry, M.T.
Balancing economic development with environmental protection in developing and lesser developed countries, 18
English, M.
Solid waste facility siting: Issues and trends, 1345
Esser, P.M.
Europen community studies feasibility of reducing CO_2 emissions by sixty percent, 835
Evans, G.R.
Global climate change and sustainable development: Critical review discussion papers, 1202
Evans, J.
Results of a method verification study for analyses of PCP in soil, 1408
Fairley, D.
Photochemical model bias: Is it real or is it a statistical artifact?, 348
Farrell, C.W.
Alternating current electrocoagulation for superfund site remediation, 784
Fernau, M.E.
An estimate of the recoverable chlorofluorocarbons available to offset future carbon dioxide emissions, 336
Finlayson-Pitts, B.J.
Atmospheric chemistry of tropospheric ozone formation: Scientific and regulatory implications, 1091
Firor, J.
A critical review: Global climate change and sustainable development, 707
Foley, J.K.
Establishing relevant ozone standards to protect vegetation and human health: Exposure/dose-response considerations, 106
Changes in diurnal patterns related to changes in ozone levels, 1472
Fox, D.
Global climate change and sustainable development: Critical review discussion papers, 1202
Friar, R.S.
Atmospheric polycyclic hydrocarbons (PAH) at a point source of emissions. Part B: PAH emissions reduction at a horizontal stud soderberg plant at Jonquiere, Quebec, Canada and the evolution of B[a]P in ambient urban air, 85
Gabele, P.A.
A characterization of emissions from an early model flexible-fuel vehicle, 851
Gaikwad, R.P.
The potential of pulse-jet baghouses for utility boilers. Part III: Comparative economics of pulse-jet baghouse, precipitators and reverse-gas baghouses, 120
Gao, D.
The effect of treatment temperature on metal recovery from a porous silica sorbent by EPA Method 3050 and by an HF-based method, 1004
Gardner-Clayson, T.W.
Alternating current electrocoagulation for superfund site remediation, 784
Gavaskar, A.R.
Evaluation of filtration and distillation methods for recycling automotive coolant, 463
Gay, B.W.
Summary of the 1992 EPA/A&WMA international symposium: Measurement of toxic and related air pollutants, 191
Gebhart, K.A.
Response to "The WHITEX study and the role of the scientific community: a critique" by Gregory R. Markowski, 1128
Goh, S.K.
Treatment of pesticide-contaminated soils with thermal desorption technologies, 1610
Goldstein, W.
Tropospheric ozone and climate change, 1332
Gong, R.
A qualitative analysis of the effects of water vapor on multi-component vapor-phase carbon adsorption, 864
Gorse, R.A.
Real-world vehicle emissions: A summary of the third annual CRC-APRAC on-road vehicle emissions workshop, 1084
Grady, Jr., C.P.L
An integrated theory for suspended-growth bioscrubbers, 753
Groblicki, P.J.
Real-world emissions from a modern production vehicle driven in Los Angeles, 1351
Grosjean, D.
Ambient levels of formaldehyde and acetaldehyde in Atlanta, Georgia, 469
Ambient levels of the peroxyacyl nitrates PAN, PPN and MPAN in Atlanta, Georgia, 873
Grosjean, E.
Ambient levels of formaldehyde and acetaldehyde in Atlanta, Georgia, 469
Ambient levels of the peroxyacyl nitrates PAN, PPN and MPAN in Atlanta, Georgia, 873
Ham, R.K.
Overview and implications of U.S. sanitary landfill practice, 187
Hanna, S.R.
Modeling VOC emissions and air concentrations from the Exxon Valdez oil spill, 298
Hansen, M.C.
An assessment of air quality impacts of fires associated with fire fighting operations, 341

Harrington, J.S.
The measurement of contamination in environmental samples, 1155
Hayes, C.G.
U.S. Environmental Protection Agency's ozone epidemiology research program: A strategy for assessing the effects of ambient ozone exposure upon morbidity in exposed populations, 950
Heck, W.W.
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585
Hendrix, D.L.
Air particulates associated with the ash whitefly, 1116
Her, G.R.
Student's exposure to volatile organic compounds while commuting by motorcycle and bus in Taipei City, 1231
Hidy, G.M.
Global climate change and sustainable development: Critical review discussion papers, 1202
Hodgson, A.T.
Emissions of volatile organic compounds from new carpets measured in a large-scale environmental chamber, 316
Holdren, M.W.
A thermal desorption procedure for determining residual blowing agent (CFC-11) in rigid foam, 1101
Hudgens, E.E.
Comparison of chemiluminescence and ultraviolet ozone monitor responses in the presence of humidity and photochemical pollutants, 213
Hutnik, R.J.
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. II. Ozone injury on foliage of hybrid poplar, 760
Hutzler, N.J.
Quantitative mineral determinations of industrial coal ash, 1245
Iyer, H.
Response to "The WHITEX study and the role of the scientific community: a critique" by Greory R. Markowski, 1128
Jacobsen, J.E.
A critical review: Global climate change and sustainable development, 707
Jayanty, R.K.M
Summary of the 1992 EPA/A&WMA international symposium: Measurement of toxic and related air pollutants, 191
Kaufman, C.M.
Waste minimization in the manufacture of flexible polyurethane foams: Quantification of auxiliary blowing agent volatilization, 736
Green biomass materials in polyurethane foams, 1253
Keener, T.C.
A qualitative analysis of the effects of water vapor on multi-component vapor-phase carbon adsorption, 864
Keigley, G.W.
A thermal desorption procedure for determining residual blowing agent (CFC-11) in rigid foam, 1101
Keller, M.L.
Arsenic speciation in atmospheric aerosols at The Geysers, 765
Kelly, N.A.
Real-world emissions from a modern production vehicle driven in Los Angeles, 1351
Kenny, D.V.
Transformations, lifetimes, and sources of NO_2, HONO, and HNO_3 in indoor environments, 1479
Kim, D.-S.
Chemical dynamics of clouds at Mt. Mitchell, North Carolina, 1074
Kitto, M.E.
Trace-element patterns in fuel oils and gasolines for use in source apportionment, 1381
Kleindienst, T.E.
Comparison of chemiluminescence and ultraviolet ozone monitor responses in the presence of humidity and photochemical pollutants, 213
Kling, C.
Light-duty vehicle exhaust emission control cost estimates using a part-pricing approach, 1461
Knapp, K.T.
A characterization of emissions from an early model flexible-fuel vehicle, 851
Knoll, J.E.
An evaluation of possible biases in the U.S. EPA's method 101A-mercury emissions from stationary sources, 117
Kogan, V.
Aerosol filtration by sorbent beds, 1367
Konopacki, S.J.
An innovative radon mitigation-energy conservation retrofit system for residential buildings, 310
Koutrakis, P.
Validation of personal exposure models for sulfate and aerosol strong acidity, 845
Kreiton, K.L.
SITE program demonstration of the SBP Technologies, Inc. membrane filtration system on creosote-contaminated water, 367
Results of a method verification study for analyses of PCP in soil, 1408
Kuhlman, M.R.
Aerosol filtration by sorbent beds, 1367
Lane, D.D.
A method of predicting point and path-averaged ambient air VOC concentrations, using meteorological data, 480
Larsen, R.I.
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585
Lawson, D.R.
Real-world vehicle emissions: A summary of the third annual CRC-APRAC on-road vehicle emissions workshop, 1084
"Passing the test" - Human behavior and California's smog check program, 1567
Leahey, D.M.
An assessment of air quality impacts of fires associated with fire fighting operations, 341
Lee, C.C.
Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking, 203
Lee, K.
Carbon monoxide and nitrogen dioxide levels in an indoor ice skating rink with mitigation methods, 769
Lefohn, A.S.
Establishing relevant ozone standards to protect vegetation and human health: Exposure/dose-response considerations, 106
Changes in diurnal patterns related to changes in ozone levels, 1472
Lemieux, P.M.
Characterization of air pollutants emitted from a simulated scrap tire fire, 1106
Lewis, R.F.
SITE demonstration of slurry-phase biodegradation of PAH contaminated soil, 503
Lin, S.H.
Student's exposure to volatile organic compounds whiie commuting by motorcycle and bus in Taipei City, 1231
Lioy, P.J.
Assessment of carcinogenic risk from personal exposure to benzo(a)pyrene in the total human environmental exposure study (THEES), 970
Lipfert, F.W.
On the spatial and temporal variability of aerosol acidity and sulfate concentration, 489
Madore, M.
Formaldehyde exposure affects growth and metabolism of common bean, 113
Malm, W.C.
Response to "The WHITEX study and the role of the scientific community: a critique" by Gregory R. Markowski, 1128
Marcinowski, F.
Reducing the risks from radon, 955
Markowski, G.R.
Reply to Malm, et al.'s discussion of the WHITEX critique, 1137
Marotz, G.A.
A method of predicting point and path-averaged ambient air VOC concentrations, using meteorological data, 480
Mathai, C.V.
Phase II allowances allocations and an assessment of the allowance market in the west, 839
McClenahen, J.R.
Evaluation of vegetation near coal-burning power plants in Southwestern Pennsylvania. II. Ozone injury on foliage of hybrid poplar, 760
McDonnell, W.F.
U.S. Environmental Protection Agency's ozone epidemiology research program: A strategy for assessing the effects of ambient ozone exposure upon morbidity in exposed populations, 950
An air quality data analysis system for interrelating effects, standards and needed source reductions: Part 12. Effects on man, animals and plants as a function of air pollutant impact, 1585
McDougall, E.M.
Air particulates associated with the ash white fly, 1116
McDowell, S.D.
Quantitative mineral determinations of industrial coal ash, 1245
McIlvaine, R.W.
Air pollution control and waste management in a new world, 293
McQueen, A.
Development of the ammonia injection technology (AIT) for the control of PCDD/PCDF and acid gases from municipal solid waste incinerators, 889
Meacham, D.E.
The removal of tri- (TCE) and tetrachlor-

oethylene (PCE) from aqueous solution using high energy electrons, 1358
Meckes, M.C.
SITE demonstration of the basic extractive sludge treatment process, 1274
Michaud, D.
Characterization of airborne dust from cast iron foundries of physico-chemical methods and multivariate statistical analyses, 729
Mihelcic, J.R.
Estimation of VOC emissions from wastewater facilities by volatilization and stripping, 97
Mohnen, V.A.
Tropospheric ozone and climate change, 1332
Moilanen, G.L.
Development of the ammonia injection technology (AIT) for the control of PCDD/PCDF and acid gases from municipal solid waste incinerators, 889
Molburg, J.C.
The utility industry response to title IV: generation mix, fuel choice, emissions and costs, 180
Mot, E.
Europen community studies feasibility of reducing CO_2 emissions by sixty percent, 835
Mutters, R.G.
Formaldehyde exposure affects growth and metabolism of common bean, 113
Nance, B.
A Monte-Carlo simulation of the ozone attainment process, 995
Napolitano, S.
Reducing the risks from radon, 955
Nickelsen, M.G.
The removal of tri- (TCE) and tetrachloroethylene (PCE) from aqueous solution using high energy electrons, 1358
Nunez, C.M.
Corona destruction: An innovative control technology for VOCs and air toxics, 242
Ohshita, S.B.
Risk and technology in air toxics control: California and the Clean Air Act Amendments, 723
Ono, D.M.
PM_{10} standards and nontraditional particulate source controls: a summary of the A&WMA/EPA international specialty conference, 74
Oppelt, E.T.
Incineration of hazardous waste: A critical review update, 25
Overcamp, T.J.
An integrated theory for suspended-growth bioscrubbers, 753
Overcash, M.R.
Waste minimization in the manufacture of flexible polyurethane foams: Quantification of auxiliary blowing agent volatilization, 736
Green biomass materials in polyurethane foams, 1253
Net waste reduction analysis applied to air pollution control technologies, 1449
Perrault, G.
Characterization of airborne dust from cast iron foundries of physico-chemical methods and multivariate statistical analyses, 729
Peterson, J.E.
A cost-effectiveness study of carbon monox ide emissions reduction utilizing remote sensing, 978
Pielke, R.A.
Influence of landscape variability on atmospheric dispersion, 989
Pinkerton, J.E.
Emissions of SO_2 and NO_x from pulp and paper mills, 1404
Pitts, Jr., J.N.
Atmospheric chemistry of tropospheric ozone formation: Scientific and regulatory implications, 1091
Pollack, A.J.
A thermal desorption procedure for determining residual blowing agent (CFC-11) in rigid foam, 1101
Ponder, W.H.
Corona destruction: An innovative control technology for VOCs and air toxics, 242
Post, G.B.
Assessment of carcinogenic risk from personal exposure to benzo(a)pyrene in the total human environ mental exposure study (THEES), 970
Ramsey, G.H.
Corona destruction: An innovative control technology for VOCs and air toxics, 242
Randall, P.M.
Evaluation of filtration and distillation methods for recycling automotive coolant, 463
Rao, G.
Prediction of flue gas composition of an incinerator based on a nonequilibrium-reaction approach, 745
Renken, K.J.
An innovative radon mitigation-energy conservation retrofit system for residential buildings, 310
Richards, L.W.
A comment on the WHITEX CD4 tracer data, 1143
Ryan, J.V.
Characterization of air pollutants emitted from a simulated scrap tire fire, 1106
Ryti, R.T.
Superfund soil cleanup: Developing the piazza road remedial design, 197
Sabbak, O.A.
Distribution of sulfur dioxide in the atmosphere of Jiddah, Saudi Arabia, 208
Saxena, S.C.
Prediction of flue gas composition of an incinerator based on a nonequilibrium-reaction approach, 745
Schmon-Stasik, R.
Results of a method verification study for analyses of PCP in soil, 1408
Schroeder, M.B.
An assessment of air quality impacts of fires associated with fire fighting operations, 341
Schulman, L.L.
Building downwash screening modeling for the downwind recirculation cavity, 1122
Scire, J.S.
Building downwash screening modeling for the downwind recirculation cavity, 1122
Seigneur, C.
Risk and technology in air toxics control: California and the Clean Air Act Amendments, 723
Shadwick, D.S.
Changes in diurnal patterns related to changes in ozone levels, 1472
Shelton, R.
Providing assistance to small businesses impacted by the 1990 Clean Air Act Amendments, 1213
Shreffler, J.H.
Comparison of nonmethane organic compound concentration data collected by two methods in Atlanta, 1576
Silcox, G.D.
The effect of treatment temperature on metal recovery from a porous silica sorbent by EPA Method 3050 and by an HF-based method, 1004
Simes, G.F.
The measurement of contamination in environmental samples, 1155
Sloat, D.G.
The potential of pulse-jet baghouses for utility boilers. Part III: Comparative economics of pulse-jet baghouse, precipitators and reverse-gas baghouses, 120
Smith, C.M.
Elimination of VOC emissions from surface coating operations, 1015
Smith, D.F.
Comparison of chemiluminescence and ultra violet ozone monitor responses in the presence of humidity and photochemical pollutants, 213
Snyder, T.R.
Effects of sorbent injection on particulate properties: Part II. High temperature sorbent injection, 91
Solomon, P.A.
Arsenic speciation in atmospheric aerosols at The Geysers, 765
Spengler, J.D.
Carbon monoxide and nitrogen dioxide levels in an indoor ice skating rink with mitigation methods, 769
Validation of personal exposure models for sulfate and aerosol strong acidity, 845
Sperling, D.
Light-duty vehicle exhaust emission control cost estimates using a part-pricing approach, 1461
Spicer, C.W.
Transformations, lifetimes, and sources of NO_2, HONO, and HNO_3 in indoor environments, 1479
Stedman, D.H.
A cost-effectiveness study of carbon monoxide emissions reduction utilizing remote sensing, 978
Steiber, R.S.
Organic combustion fingerprints of three common home heating fuels, 859
Suh, H.H.
Validation of personal exposure models for sulfate and aerosol strong acidity, 845
Swanson, R.L.
Deterioration of starch-plastic composites in the environment, 325
Takacs, L.
Development of the ammonia injection technology (AIT) for the control of PCDD/PCDF and acid gases from municipal solid waste incinerators, 889
Taylor, P.H.
Full-scale evaluation of the thermal stability-based hazardous organic waste incinerability ranking, 203
Tillman, J.
SITE demonstration of the basic extractive sludge treatment process, 1274
Traynor, G.W.
Pollutant emission rates from a radiant fiber-matrix gas burner, 223

Troxler, W.L.
Treatment of nonhazardous petroleum-contaminated soils by thermal desorption technologies, 1512
Treatment of pesticide-contaminated soils with thermal desorption technologies, 1610
Uliasz, M.
Influence of landscape variability on atmospheric dispersion, 989
Underhill, D.W.
A new quadrature for determining the mean duct velocity, 1496
Wagner, T.J.
SITE demonstration of the basic extractive sludge treatment process, 1274
Wallington, T.J.
Formation of trifluoroacetic acid from the atmospheric degradation of hydrofluorocarbon 134a: A human health concern?, 1260
Wang, Q.
Light-duty vehicle exhaust emission control cost estimates using a part-pricing approach, 1461
Wang, W.-C.
Tropospheric ozone and climate change, 1332
Ward, G.F.
Transformations, lifetimes, and sources of NO_2, HONO, and HNO_3 in indoor environments, 1479
Ward, T.E.
An evaluation of possible biases in the U.S. EPA's method 101A-mercury emissions from stationary sources, 117
Wartenberg, D.
Do dead batteries cause cancer?, 880
Watson, J.G.
PM_{10} standards and nontraditional particulate source controls: A summary of the A&WMA/EPA international specialty conference, 74
Wedding, J.B.
An automatic particle sampler with beta gauging, 475
Weigand, M.A.
An automatic particle sampler with beta gauging, 475
William II, E.L.
Ambient levels of the peroxyacyl nitrates PAN, PPN and MPAN in Atlanta, Georgia, 873
Ambient levels of formaldehyde and acetalde hyde in Atlanta, Georgia, 469
Wilshire, F.W.
An evaluation of possible biases in the U.S. EPA's method 101A-mercury emissions from stationary sources, 117
Wilt, C.
Solid waste facility siting: Issues and trends, 1345
Wolff, G.T.
A NO_x-focused control strategy to reduce O_3, 1593
Wooley, J.D.
Emissions of volatile organic compounds from new carpets measured in a large-scale environmental chamber, 316
Wyzga, R.E.
On the spatial and temporal variability of aerosol acidity and sulfate concentration, 489
Yanagisawa, Y.
Carbon monoxide and nitrogen dioxide levels in an indoor ice skating rink with mitigation methods, 769
Zenick, H.
U.S. Environmental Protection Agency's ozone epidemiology research program: A strategy for assessing the effects of ambient ozone exposure upon morbidity in exposed populations, 950
Zink, R.P.
Treatment of nonhazardous petroleum-contaminated soils by thermal desorption technologies, 1512

Title III Air Toxics Workshops

Six convenient locations:

January 13-14 – San Francisco
February 24-25 – Baton Rouge
March 16-17 – Houston
April 7-8 – Charlotte, NC
April 28-29 – Newark
May 19-20 – Chicago

AIR & WASTE MANAGEMENT ASSOCIATION

This workshop, offered at six locations in 1994, coincides with the anticipated U.S. EPA promulgation of the first three published Title III MACT standards (chemical industry, coke ovens and dry cleaners). The workshop prepares plant and corporate environmental personnel and permit agency staff for Title III compliance and case-by-case control technology reviews required for new and modified sources. Presentations by experts will update attendees on EPA Title III activities and provide first-hand knowledge on the expected course of future regulations.

Faculty: Bruce Egan, ENSR
Gale Hoffnagle, TRC
Rick Kester, CH2M Hill
Gary McCutchen, Radian

Technical advice by: EPA Emissions Standards Division

For more information, phone or fax:

Tel: (412) 232-3444 **Fax: (412) 232-3450**

The Air & Waste Management Association supports the Americans with Disabilities Act (ADA), which prohibit discrimination against, and promotes public accessibility for those with disabilities. We ask those requiring specific equipment or services as an attendee to contact the Association meeting registrar at (412) 232-3444 and advise us of any such requirements in advance.